

Parenteral nutrition: Methods of care SUMMARY

Preparation of the parenteral nutrition solution and addition of additives

- 1. Prepare the materials
- 2. Check the parenteral nutrition bag
- 3. Check additive vials and ampoules
- 4. Prepare syringes
- 5. Disinfect the rubber septum of the vial
- 6. Remove the additive from the vial
- 7. Remove the air bubbles from the syringe
- 8. Disinfect ampoule neck
- 9. Break the neck of the ampoule
- 10. Remove the additive from the ampoule
- 11. Change the needle of the syringe
- 12. Remove the air bubbles and the excess volume of the additive from the syringe, if necessary
- 13. Disinfect the injection port of the bag
- 14. Inject the additives into the bag
- 15. Mix the bag solution
- 16. Connect the tubing to the bag
- 17. Turn on the pump
- 18. Attach the cassette to the pump
- 19. Secure the cassette
- 20. Reset the reservoir volume of the pump
- 21. Empty air from the tubing
- 22. Administration of the nutrient solution

Monitoring of the catheter site

- 1. Anticipate
- 2. Prepare
- 3. Proceed
- 4. Position your child
- 5. Monitor the catheter site
- 6. Check dressing
- 7. Check all tubing
- 8. Check the outer length of the catheter, if applicable
- 9. Recover



Catheter irrigation

- 1. Anticipate
- 2. Prepare
- 3. Proceed
- 4. Prepare the materials
- 5. Remove the air bubbles from the saline syringe
- 6. Position your child
- 7. Monitor catheter site
- 8. Disinfect needleless catheter connector
- 9. Remove the protective cap from the saline syringe
- 10. Screw the syringe onto the needleless connector of the catheter
- 11. Irrigate the catheter with the saline solution
- 12. Disconnect the syringe from the needleless connector of the catheter
- 13. Irrigate the catheter with the locking solution, if necessary
- 14. Monitor catheter site
- 15. Recover

Administration of the parenteral nutrition solution

- 1. Anticipate
- 2. Prepare
- 3. Proceed
- 4. Prepare the parenteral nutrition bag and add additives, if necessary
- 5. Position your child
- 6. Monitor catheter site
- 7. Irrigate the catheter with saline solution
- 8. Disinfect needleless catheter connector
- 9. Connect the bag tubing to the needleless connector of the catheter
- 10. Turn on the pump
- 11. Secure the bag
- 12. Monitor solution administration
- 13. Turn off the pump
- 14. Disconnect the tubing from the needleless connector of the catheter
- 15. Irrigate the catheter with the saline solution
- 16. Irrigate the catheter with the locking solution, if necessary
- 17. Monitor the catheter site
- 18. Remove the cassette from the pump
- 19. Recover